

FROM: Foshan Kinsun Medical Instrument Co.,Ltd

Contract: Serena

Phone/Wechat/Whatsapp :+86 18820139756



Email: Kinsundental@gmail.com


Contact us for a full quote!

NO.	Name	Spec	Picture	Price Range/USD
01-01	Air-Water Syringe(Aluminum)	3.0		2.86~3.14
01-02	Air-Water Syringe(Copper)	3.0		7.14~7.86
01-03	Air-Water Syringe(SUS)	3.0		17.14~18.86
01-04	Air-Water Syringe(Green)	3.0		3.29~3.61
01-05	Air-Water Syringe(Blue)	3.0		3.29~3.61
01-06	Air-Water Syringe(Dark Blue)	3.0		3.29~3.61
01-07	Straight Syringe			4.29~4.71
01-08	Syringe Tips			0.23~0.25
01-09	Disposable Syringe Tips	1bag/250pcs		3.86~4.24
02-01	Strong Suction Handle			3.57~3.93
02-02	Weak Suction Handle			3.57~3.93
02-03	Weak Suction Handle			1.43~1.57
02-04	Weak Suction Handle			4.57~5.03
02-05	Strong Suction Handle			1.71~1.89
02-06	Weak Suction Handle			1.14~1.26

02-07	Strong Suction Handle			1.71~1.89
02-08	Weak Suction Handle			1.43~1.57
02-09	Plastic Strong Suction Handle			0.64~0.71
02-10	Plastic Weak Suction Handle			0.57~0.63
02-11	Plastic Strong Suction Handle			0.36~0.39
02-12	Plastic Weak Suction Handle			0.29~0.31
02-13	Strong Suction adaptor(Silicone)			0.19~0.2
02-13	Weak Suction adaptor(Silicone)			0.17~0.19
02-14	Strong Suction adaptor(Plastic)			0.17~0.19
02-14	Weak Suction adaptor(Plastic)			0.11~0.13
02-15	Weak Suction Silicone Adaptor			0.11~0.13
02-16	Strong Suction Pipette			0.19~0.2
02-16	Weak Suction Pipette			0.01~0.02
03-01	Triple Diaphragm Valve			7.86~8.64
03-02	Quadruple Diaphragm Valve			12.86~14.14
03-03	Mebrane			1.07~1.18
03-03	Mebrane			1.21~1.34
03-04	Pressure Valve	D=27MM		1.79~1.96
03-05	Mebrane			0.36~0.39

03-06	Pressure Valve(4 Connectors)			1.33~1.46
03-07	Pressure Valve(3 Connectors)			1.29~1.41
03-08	Regulating Valve (F)	3.2MM		0.8~0.88
03-08	Regulating Valve (F)	4.8MM		0.8~0.88
03-09	Regulating Valve (T)	3.2MM		0.8~0.88
03-09	Regulating Valve (T)	4.8MM		0.8~0.88
03-10	Square Holder Valve (open)			1.29~1.41
03-10	Square Holder Valve (open)			1.29~1.41
03-11	Holder Valve (close)			0.64~0.71
03-12	Holder Valve (open)			0.64~0.71
03-13	Holder Valve (close)			0.64~0.71
03-14	Holder Valve (open)			0.64~0.71
03-15	Air Switch			1.03~1.13
03-16	Scaler Water Connector			2.57~2.83
03-17	Handpiece Coupler 2 to 4			1.14~1.26
03-18	Handpiece Coupler 4 to 2			1.14~1.26
03-19	2 Holes Handpiece Connector			0.86~0.94
03-20	4 Holes Handpiece Connector			1~1.1
03-21	Electric Valve			1~1.1
03-22	Solenoid Valve			2.66~2.92

03-23	Main Air Switch (T)	3.2mm		0.93~1.02
03-23	Main Air Switch (T)	4.8mm		0.93~1.02
03-24	Main Air Switch (F)	3.2mm		0.93~1.02
03-24	Main Air Switch (F)	4.8mm		0.93~1.02
03-25	Main Air Switch (F)			0.93~1.02
04-01	Strong Suction Valve			1.36~1.49
04-02	Weak Suction Valve			1.43~1.57
04-03	Water Exchange Switch			1.29~1.41
04-04	Water Exchange Switch			1.29~1.41
04-05	Water Exchange Switch			1.29~1.41
04-06	Water-Air Switch			2.14~2.36
04-07	One Way Valve			0.49~0.53
04-08	Reducing Valve			0.79~0.86
04-09	Commutator Valve			0.93~1.02
04-09	Commutator Valve			1~1.1
04-10	Blowing Debris Valve			1.03~1.13
04-11	4 Holes Foot Control Valve			0.97~1.07
04-12	2 Holes Foot Control Valve			0.93~1.02

04-13	Multi-Fuction Foot Control Valve	3mm		1.14~1.26
04-13	Multi-Fuction Foot Control Valve	5mm		1.14~1.26
04-14	Control Valve			5.86~6.44
04-15	Integrated Valve			7.43~8.17
04-16	Integrated Valve(18 Connectors)			6.57~7.23
04-17	Integrated Valve (left/right)			6.29~6.91
04-18	Metal Connectors			1~1.1
04-19	Metal Connectors			0.36~0.39
04-20	Metal Connectors			0.26~0.28
04-21	Metal Joint			0.07~0.08
04-22	Right Angle Joint			0.36~0.39
04-23	Quick Twist Connector			0.36~0.39
04-24	Quick Twist Connector			0.36~0.39
04-25	Connectors			0.07~0.08
05-01	4 Holes HandpieceTubing	A grade/Silicone		3~3.3
05-01	4 Holes HandpieceTubing	B grade		2.43~2.67
05-02	4 Holes HandpieceTubing(Coalescent)			3~3.3
05-03	2 Holes HandpieceTubing	A grade/Silicone		2.57~2.83
05-03	2 Holes HandpieceTubing	B grade		2.29~2.51